



Integra 600x400x265

Item: 1310851 🖓

Providing security for non-food industry, e-commerce and retail applications, the Integra® range of attached lid containers protect products from pollution and contamination. Security seals and lids that support strapping contribute to safe and secure transportation. The design features bumpers on the ends which helps prevent containers from piling up on conveyors. When empty, the Integra® saves you space due to its high nesting ratio. Integrated label holders and striped zones for self-adhesive labels allow the Integra® to be customized. NB: not compatible with the Kaiman range.

Specifications

External (LxWxH):	600 mm x 400 mm x 265 mm					
	Internal (LxWxH):		529 mm x 345 mm x 235 mm			
Volume: Max. Individual	46 L	Weight:	3.1 kg			
Load capacity:	53 kg	0	0		250	
Max.Static load on bottom container in a stack:	400 kg	Incremental stack height: 250 m			250 mm	
	51 %	Base type: Solid				
Nesting ratio (%):	Wall type: Solid , Solid					
Lid available:	attached	Handles long side: No				
Suitable for automatic handling:	Yes	Handles sho	ort side:	Closed		
RFID option:	Yes					
		Material:	PP			
Temperature range:	-20 °C to 40 °C					
Fire retardant:	No					
Standard Colour:	626 Blue RAL 5012					

Packaging

64

nylon wheels

Units/Pallet (pc):

Pallet size:

1200 mm x 1000 mm Pallet Height:

2250 mm

Accessories



1325835 - Seals Integra (Set of 100)



9193000 - Dolly 604x402x162 - 4 swivel nylon wheels

9192004 - Universal dolly 798x598x171 -1 swivel, 1 swivel with brake and 2 fixed



www.Schoellerallibert.com

The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies. Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet.

Feature and Benefits

- Integrated interlocking lid No lost lid, while lids hang vertically when open
- Identification of content Ticket window and textured areas for easy removal of adhesive labels.
- Stack- and nestable design Saving valuable space on return transport, nests by up to 70% when empty
- Designed for automated handling Lids allow automatic opening, smooth flat base to run on conveyor belts- Traceability Optional RFID enabling
- Protect your content Tamper-evident security seals deter theft

The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies. Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet. Datasheet Stack Nest | 03-11-2021