Schoeller Allibert

Integra 400x300x315

Item: 1325851

Providing security for non-food industry, e-commerce and retail applications, the Integra® range of attached lid containers protect products from pollution and contamination. Security seals and lids that support strapping contribute to safe and secure transportation. The design features bumpers on the ends which helps prevent containers from piling up on conveyors. When empty, the Integra® saves you space due to its high nesting ratio. Integrated label holders and striped zones for self-adhesive labels allow the Integra® to be customized. NB: not compatible with the Kaiman range.

Specifications

External (LxWxH):	403 mm x 296 mm x 315 mm
Internal (LxWxH):	330 mm x 236 mm x 297 mm
Volume:	25 L
Max. Individual Load capacity:	27 kg
Weight:	1.7 kg
Nesting ratio (%):	60 %
Max.Static load on bottom container in a stack:	300 kg
Max. Dynamic load on bottom container in a stack:	160 kg
Incremental stack height:	300 mm
Base type:	Solid
Wall type:	Solid , Solid
Handles	Closed
Handles short side:	long side: No
Lid available:	attached
RFID	option: Yes
Suitable for automatic handling:	Yes
Material:	PP
Temperature range:	-20 °C to 40 °C
Fire retardant:	No
Standard Colour:	626 Blue RAL 5012

1325835 - Seals Integra (Set of 100)

Accessories

Related Products

9193000 - Dolly 604x402x162 - 4 swivel nylon wheels

9192004 - Universal dolly 798x598x171 – 1 swivel, 1 swivel with brake and 2 fixed nylon wheels

Packaging

Units/Pallet (pc):	90		
Pallet size:	1200 mm x 800 mm	Pallet Height:	2352 mm

Schoeller Allibert

www.Schoellerallibert.com

The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies. Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet.

Feature and Benefits

- Integrated interlocking lid - No lost lid, while lids hang vertically when open
- Identification of content - Ticket window and textured areas for easy removal of adhesive labels.
- Stack- and nestable design - Saving valuable space on return transport, nests by up to 70% when empty
- Designed for automated handling - Lids allow automatic opening, smooth flat base to run on conveyor belts- Traceability - Optional RFID enabling
- Protect your content - Tamper-evident security seals deter theft

www.Schoellerallibert.com
The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies.
Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet.