



Schoeller Allibert

## Magnum Optimum 1200x800x958 - 2R 2F 2DD

Item: 2500461



The lightweight Magnum Optimum<sup>®</sup> 1208 is the strongest & smoothest FLC on the market, suitable for a variety of applications, for almost any market. The MO1208 is a lightweight box and offers more volume thanks to its double-wall structure. Reduce reverse logistics costs thanks to a high folding ratio. Ease of use thanks to the unique pull self-lock doors. The strap locations and pins in the base angles enable secure loading. Accessories such as a lid and unique Optiframe available. One single Optiframe increases height and volume to fit dunnage systems when empty or maximize vehicle fill in increments of 105 mm. Assets are can be tracked & traced through SmartLink<sup>®</sup> or RFID.

## Specifications

External (LxWxH):

1200 mm x 800 mm x 958 mm

## Accessories




A193690100 - Bayonet Socket CE/CF/MO/CFlow/BPac



2534100 - Bayonet MO1208/1210



2506820 - Magnum Optimum Lid  
1210x810x73




2508100 - MO 1208 Optiframe (set  
complete)

## Related Products



2506820 - Magnum Optimum Lid  
1210x810x73



2508100 - MO 1208 Optiframe (set  
complete)



Internal  
(LxWxH): 1142 mm  
x 742 mm x 785  
mm

Weight: 48.571 kg

Volume: 665 L

Max. Individual  
Load capacity: 750  
kg

Max.Static load on  
bottom container  
in a

stack: 3200 kg

Max. Dynamic load  
on bottom  
container in a

stack: 1600 kg

Max. Racking  
load:: 750 kg

Folding Ratio  
(%): 69 %

Folding Height: 265  
mm

Base type: solid  
base with drainage  
holes

Wall type: solid ,  
solid

Number of Skids: 2



Number of Feet: 2

Long Side Door,  
Short Side

Door: Yes, Yes

Handles short

side: Open

Drainage holes: 20

Lid available: Drop  
on 2506820

RFID option: Yes

Material: POM PP  
PE (Label Holder)

Temperature  
range: -20 °C to 40  
°C

Standard

Colour: 502 Grey  
RAL 7040

Is UN Certified: No

## Packaging

---

Units/Pallet (pc):	9
Pallet size:	1200 mm x 800 mm

Pallet Height:	2415 mm
----------------	---------



Schoeller Allibert

## Feature and Benefits

---

- Easy to use - Proven track record, easy to handle
- Foldable design - Cost saving when empty. Optimizing vehicle fill return transports.
- smooth design - easy to clean, less dirt traps
- Versatile - Available in multiple heights.
- drop doors Magnum - Optional available with 4 drop doors ensuring an ergonomical emptying of the box.
- Customisation - customer logo optionally available
- 100% plastic - No metal parts making unit resistant to corrosion.
- bayonet technology - easy repair runners
- Optiframe - feature adding 105mm to a box allowing boxes to stay foldable when dunnage is inside
- Unique hinge system - the unique hinge system makes it easy to fold boxes non sequentially
- ID plates - the Optimum ID plates help customers customise and handle their assets
- Label holder - optionally available with labelholders;
- strap locations - securing loads thanks to strap locations and pins in the base angles.
- Locking devices - Handling efficiency operators folding boxes
- Non sequential folding - ease of use, allowing to fold box within 5 seconds.
- CO2 reduction - Magnum Optimum ensures optimised payload in road transportation. Reducing reverse logistics costs and lowering CO2 Outstanding performance impact thanks to the best folding ratio on the market.
- SmartLink ready - Features locations for RFID and IoT beacons to ensure efficient track & tracing.