AGRI VITI BAC

Schoeller Allibert



Magnum Helium 1200x800x1150 - 9F, 2DD, including lid

Item: 2590400

Schoeller Allibert's lightweight Magnum Helium® is ideal for non-food retail supply chains. The smooth inner surfaces of the Magnum Helium® protect contents from being damaged during long-distance shipping, while the snap-shut lid helps to prevent pollution. Drop doors enable the Magnum Helium to be loaded and unloaded quickly and easily, and its high folding ratio when empty helps to lower the cost of logistics and storage. . All Magnum Heliums® are supplied with a lid.

Available with either feet or runners.

Specifications

External (LxWxH):	1200 mm x 800 mm x 1158 mm
Internal (LxWxH):	1129 mm x 729 mm x 967 mm
Weight:	36.5 kg
Volume: Max. Individual	792 L
Load capacity:	300 kg
Max.Static load on bottom container in a stack:	700 kg
Max. Dynamic load on bottom container in a stack:	700 kg
Folding Ratio (%):	64.5 %
Folding Height:	396 mm
Long Side Door, Short Side Door:	Yes , 0 No
Handles long side:	No
Handles short side:	No
Base type:	Flat Base
Wall type:	Solid , Solid
Number of Feet:	9
Lid available:	Drop on
RFID option:	Yes
Material:	PP PP extruded PE (hinge) PE (LabelHolder) POM Metal bolt (OptiFrame)
Temperature range:	-10 °C to 50 °C
Standard Colour:	522 Grey RAL 7012
Is UN Certified:	No

Accessories



2323505 - Label Holder 215x160 (FLC/ SFC)

Related Products

2500461 - Magnum Optimum 1200x800x958 - 2R 2F 2DD

Packaging

Units/Pallet (pc):	6
Pallet size:	1200 mm x 800 mm

Pallet Height: 2355 mm

www.Schoellerallibert.com
The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies. Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet.
Datasheet Foldable Large Containers | 25-10-2022

Feature and Benefits

- SmartLink ready - Features locations for RFiD and IoT beacons to ensure efficient track & tracing.
- ease of use - Proven track record, easy to fold and erect.
- foldable - Cost saving when empty. Optimizing vehicle fill return transports.
- Locks - extra security sleeve stays in place during transport
- smooth design - easy to clean, less dirt traps
- Versatile - Available in multiple heights.
- drop doors Helium - Standard available with 2 large drop doors ensuring an ergonomical emptying of the box.
- Customisation - customer logo optionally available
- 100% plastic - No metal parts making unit resistant to corrosion.
- We grant a 2 year warranty on all purchased products - 2 years warranty
- Fully recyclable at the end of its long service life - Recyclable

www.Schoellerallibert.com
The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies.
Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet.