




Schoeller Allibert



See www.schoellerallibert.com for additional material like
Handling Instructions
View Video

Accessories



4410820 - RPC Lid 1212x1012x79




4437030 - Runner set Maxilog (3)



4436040 - Set of Feet RPC Maxilog (2L+2R)

MaxiLog 1200x1000x760 - 3R, Solid

Item:

4429300 

This solid MaxiLog® with 3 runners is the all-rounder for transporting food or large volume bulk. Strong, sturdy, automation-friendly, safe and easy to clean. This MaxiLog® is specially adapted to all needs of industrial processing and food production. Efficient in return transport thanks to its stackable dimensions. Safe and secure stacking thanks to corner stacking features. Available in a solid or perforated version with either 4 feet, 2 runners or 3 runners. UN approved versions available in 11H2 and 50H for transporting dangerous goods by road, sea, and air.

Specifications

External (LxWxH):	1200 mm x 1000 mm x 760 mm
Internal (LxWxH):	1108 mm x 908 mm x 574 mm
Weight:	36.8 kg
Volume:	610 L
Max. Individual Load capacity:	450 kg
Max. Static load on bottom container in a stack:	4500 kg
Max. Dynamic load on bottom container in a stack:	1000 kg
Incremental stack height:	734 mm
Base type:	Solid
Wall type:	Solid , Solid
Number of Skids:	3
Long Side Door, Short Side Door:	0 No , 0 No
Label holder long/short side::	1 , 1

Feature and Benefits

Lid available:	Drop on
RFID option:	Yes
Material:	HDPE
Temperature range:	-20 °C to 40 °C
Fire retardant:	No
Standard Colour:	502 Grey RAL 7040



Schoeller Allibert

Units/Pallet (pc):	4
Pallet size:	1200 mm x 1000 mm
Pallet Height:	2254 mm

Packaging

- Outlet valve prepared - 1 and 2 inch drain valves can be fitted on demand for easy emptying
- Reinforced base - Computer optimised design minuses deformation under 450 kg internal load.

www.Schoellerallibert.com

The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies.

Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet. Datasheet Rigid Pallet Containers | 04-08-2022

- Secure Stacking - Corner stacking features ensure safe and secure stacking of boxes up to 4500 kg stacking load.
- Smooth and safe - All surfaces easy to clean. Inner walls are smooth which makes it easy to empty; therefore suitable for deep freezing. - Automation friendly - Designed to be compatible with most automated handling systems and conveyor systems
- food approved - manufactured from high quality plastics.
- smooth design - easy to clean, less dirt traps
- washing - units can be washed
- Fully recyclable at the end of its long service life - Recyclable
- We grant a 2 year warranty on all purchased products - 2 years warranty

www.Schoellerallibert.com

The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies.

Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet. Datasheet Rigid Pallet Containers | 04-08-2022