



Schoeller Allibert

Accessories



7907823 - Lid Tellus with hinge
600x400x38



7907820 - Lid Tellus 600x400x27




7907822 - Lid Tellus 600x400x27 snap shut

Related Products



9193000 - Dolly 604x402x162 - 4 swivel
R



8380200 - Rackpal 1200x800x159 - 3R nylon wheels



Tellus 600x400x220

Item: 7925760



Tellus: versatile stack nest containers for internal and external transportation. Securely stack when loaded and nest, by turning through 180°. Saving valuable space on return transport thanks to its nesting ratio of 66%. A lid is not required for stacking the crates, however, an optional lid is available. Easy to handle thanks to the deep ergonomic handles in the reinforced top rim. Easy to clean and ideal for the food industry thanks to the smooth internal and external surfaces. Suitable for distribution as well as conveyors. Version with small rim and solid walls and base.

Specifications

External (LxWxH):	601.5 mm x 400 mm x 220 mm
Internal (LxWxH):	489 mm x 341 mm x 201 mm
Weight:	1.9 kg
Volume:	33.5 L
Max. Individual Load capacity:	25 kg
stack:	300 kg
Max. Dynamic load on bottom container in a stack:	150 kg
Nesting ratio (%):	66 %
Incremental stack height:	205 mm
Base type:	Solid
Wall type:	Solid , Solid
Handles long side:	No
Handles short side:	Yes
Suitable for automatic handling:	Yes
RFID option:	Yes
Material:	PP
Temperature range:	-20 °C to 40 °C
Fire retardant:	No
Standard Colour:	415 Green similar to RAL Blue RAL 5012



Schoeller Allibert

Packaging

The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies.

Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet.

Datasheet Stack Nest | 16-11-2021

Feature and Benefits

- Strong flat base - Designed for automatic handling
- Easy handling and safe valuable space on return transport - Securely stack when loaded and nests by turning the crate 180°
- Easy to handle - Deep ergonomic handles integrated in the reinforced top rim
- Reinforced top rim - Reinforced top rim for automated handling and robot gripping
- Easy cleaning - Smooth internal and external surfaces
- Versatile wide range - 4 Footprints available in different heights

