

## ALC 710x460x368

Item: 9106004 

Attached lid containers (ALCs) protect products from pollution and contamination. Integrated interlocking lids hang flat on the container sides and reduce the possibility of loss. Security seals and lids that support straps ensure goods are transported safely and securely. Smooth walls and bases enable easy cleaning and optimize the internal volume. Equipped with an integrated label holder on the short end, and striped zones for self-adhesive labels. The high nesting ratio saves valuable space when empty. Features ergonomic handles on both short sides.



### Specifications



Weight: 4.145 kg Volume: 80 L

External (LxWxH): 710 mm x 460 mm x 368 mm

Internal (LxWxH): 599 mm x 374 mm x 323 mm

Max. Individual Load capacity: 25 kg

Max. Static load on bottom container in a stack: 250 kg height: 342 mm

Max. Dynamic load on bottom container in a stack: 250 kg

Nesting ratio (%): 78 %

Lid available: attached

Suitable for automatic handling: Yes

RFID option: Yes

Material: PP

Temperature range: -10 °C to 50 °C

Fire retardant: No

Incremental stack

Base type: Solid

Wall type: Solid , Solid

Handles long side: No

Handles short side: Closed

### Accessories



A199580009 - Clear label holder ALC Green 120x75



A199580008 - Seal for Attached Lid Container

### Packaging

Units/Pallet (pc): 60

Pallet size: 1200 mm x 1000 mm

Pallet Height: 2036 mm

### Feature and Benefits

- Integrated interlocking lid - No lost lid, while lids hang vertically when open
- Easy Customisation - Large print area for your logo on both long sides. Smaller print area inside lid provides visual identification when containers are in nested position



Schoeller Allibert

[www.Schoellerallibert.com](http://www.Schoellerallibert.com)

The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies. Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet.

Datasheet Stack Nest | 24-05-2022

- Automation friendly - Lids allow automated opening, bevelled leading edge to base for smooth transition on conveyors
- Identification of content - Ticket window and textured areas for easy removal of adhesive labels.
- Stack- and nestable design - Saving valuable space up to 70% on empties return trips or when stored
- Protect your content - Tamper-evident security seals deter theft



[www.Schoellerallibert.com](http://www.Schoellerallibert.com)

The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies.

Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet.

Datasheet Stack Nest | 24-05-2022