





Retenpack 1250x850x230 - 150L

Item: 9304004

This lightweight 1250x850 Retenpack is a must-have for industries who work with fluids which should not be spilt and security measures have to be in place. Retenpacks are versatile, suitable for storing drums, decanters and small containers. Easy to clean thanks to its detachable grille.





Accessories



Specifications

	External (LxWxH):	1250 mm x 850 mm x 230 mm
	Weight:	16 kg
	Spill Control volume:	150 L
	Maximum densitiy: Iax.Static load on bottom container in a	3 g/cm3
	stack: ad on bottom container in a	1500 kg
Wax. Dynamic io	stack:	500 kg
	RFID option:	No
	Material:	HDPE
	Temperature range:	-10 °C to 40 °C
	Fire retardant:	No

Standard Colour Pallet:

461 Green PMS 348C

Packaging

Units/Pallet (pc):

10

Related Products

9548000 - Drum Funnel Ø550mm

B9080



8961004 - Drum support 1245x570x644





Feature and Benefits

- Safety Immediate retention of (hazardous) products
- 100% plastics No metal parts involved, prone to corrosion, easy to recycle
- Ease of use Smooth and lightweight design, easy to handle
- Nestable design With a nesting ratio of 45%, this smart retention pallet saves space when empty in return logistics

www.Schoellerallibert.com

The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies. Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet. Datasheet Roto Moulding | 16-03-2022

- detachable grid removeable grid for easy cleaning
- Fully recyclable at the end of its long service life Recyclable
- We grant a 2 year warranty on all purchased products 2 years warranty



www.Schoellerallibert.com The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies. Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet. Datasheet Roto Moulding | 16-03-2022