



Schoeller Allibert



Retenpal 1200x800x225 - 35L

Item: 9410000

This 1200x800 Retenpal is ideal for catching leaks when storing hazardous liquids. This pallet has a grid in the form of cells, each with a 10mm high edge. Totally clean transport thanks to its numerous anti-wave cells. This retenpal can be nested when empty, to save valuable space on return trips and when stored. Easy to clean thanks to its smooth structure.

See www.schoellerallibert.com for additional material like Handling Instructions

Accessories



9548000 - Drum Funnel diameter 550mm B9080

Specifications

| | |
|--|---------------------------|
| External (LxWxH): | 1215 mm x 813 mm x 220 mm |
| Weight: | 18 kg |
| Volume: | 35 L |
| Spill Control volume: | 35 L |
| Max. Individual Load capacity: | 700 kg |
| Max. Dynamic load on bottom container in a 700 kg stack: | |
| RFID option: | Yes |
| Material: | MDPE |
| Temperature range: | -20 °C to 40 °C |
| Fire retardant: | No |
| Standard Colour Pallet: | 461 Green PMS 348C |

Related Products



8961004 - Drum support 1245x570x644

Packaging

Units/Pallet (pc): 15

- 4-way entry - Designed to allow a 4-way FLT entry, making it essential for fresh-food supply chain
- Anti-wave cells - Its anti-wave design makes it an ideal solution for shipping shell fish and transporting fish crates
- Smooth design - easy to clean design, this hygienic retention pallet is the benchmark product for preventing leaks, spills and wet floors during transit and storage



Schoeller Allibert

www.Schoellerallibert.com

The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies.

Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet. Datasheet Roto Moulding | 14-11-2022

- Nestable design - With its high nesting ration, this smart retention pallet saves space when empty in return logistics- Safe - Immediate retention of (hazardous) products
- 2 years warranty - We grant a 2 year warranty on all purchased products
- Recyclable - Fully recyclable at the end of its long service life

www.Schoellerallibert.com

The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies.

Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet. Datasheet Roto Moulding | 14-11-2022