



Schoeller Allibert

## Retenpal 800x600x225 - 17L

Item: 9411000



This 800x600 Retenpal is ideal for catching leaks when storing hazardous liquids. This Retenpal has a grid in the form of cells, each with a 10mm high edge. Totally clean transport thanks to its numerous anti-wave cells. This retenpal can be nested when empty, to save valuable space on return trips and when stored. Easy to clean thanks to its smooth structure.



### Specifications

External (LxWxH): 815 mm x 610 mm x 218 mm

Weight: 9 kg Volume: 17 L

Spill Control volume: 17 L

Max. Individual Load capacity: 600 kg  
Max. Dynamic load on bottom container in a stack: 600 kg



9548000 - Drum Funnel diameter 550mm B9080

### Accessories

RFID option:	No
Material:	MDPE
Temperature range:	-20 °C to 40 °C
Fire retardant:	No
Standard Colour Pallet:	461 Green PMS 348C

### Packaging

Units/Pallet (pc):	20
Pallet size:	1212 mm x 810 mm
Pallet Height:	1710 mm

### Related Products



8961004 - Drum support 1245x570x644



Schoeller Allibert

## Feature and Benefits

---

- 4-way entry - Designed to allow a 4-way FLT entry, making it essential for fresh-food supply chain
- Anti-wave cells - Its anti-wave design makes it an ideal solution for shipping shell fish and transporting fish crates
- Smooth design - easy to clean design, this hygienic retention pallet is the benchmark product for preventing leaks, spills and wet floors during transit and storage
- Nestable design - With its high nesting ration, this smart retention pallet saves space when empty in return logistics

[www.Schoellerallibert.com](http://www.Schoellerallibert.com)

The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies. Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet.

Datasheet Roto Moulding | 14-11-2022

- Safe - Immediate retention of (hazardous) products
- 2 years warranty - We grant a 2 year warranty on all purchased products
- Recyclable - Fully recyclable at the end of its long service life



[www.Schoellerallibert.com](http://www.Schoellerallibert.com)

The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies.

Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet.

Datasheet Roto Moulding | 14-11-2022