





Specifications

Maxinest Deep 600x400x253 Item: 9632002 兄

Maxinest® is an award-winning, proven leader in the retail market. Maxinest® Plus features a conveyor base allowing it to function perfectly with automated handling equipment. With its nesting ratio, the Maxinest® is designed to replace oneway transport packaging for food and grocery retail. Reduce your business' transport costs and improve the efficiency of your supply chain logistics. Maxinest® is the only produce tray offering multi-height options enabling the same tray to be used for different applications. Optimize your warehouse and vehicle fill with the

 $\mathsf{Maxinest}(\ensuremath{\mathbb{R}}\xspace.$ Print areas on both long sides allow $\mathsf{Maxinest}(\ensuremath{\mathbb{R}}\xspace$ to be customized.

	External (LxWxH):	603.5 mm x 406 mm x 253 mm		
	Volume:	Internal (LxWxH): 547 mm x 44 L 348 mm x 226 mm		
		21 kg	Weight:	2.01 kg
	Max. Individual Load capacity load on bottom container in a stack:	View Video		Max.Statio
		320 kg		
	Max. Dynamic load on	bottom container in a		
	AccessoriesstackNesting ratio (:	%):16275	% kg	
	Incremental stack height:	241 mm		
Contra	Base type:	Perforated		
	Wall type:	Perforated , Perforated		
	Handles long side:	No		
7877004 - Maxinest Clip Spring	Handles short side:	1 per short side Open		
	Suitable for automatic handling:	No		
	RFID option:	Yes		
	Material [:]	РР		
Related Products	Temperature range:	-10 °C to 50 °C		
	Fire retardant	No		
	Standard Colour	646 Blue PN	1S 2728C	

Packaging

9192004 - Universal dolly 798x598x171 -1 swivel, 1 swivel with brake and 2 fixed nylon wheels

9193000 - Dolly 604x402x162 - 4 swivel nylon wheels

Units/Pallet (pc):	125	
Pallet size:	1200 mm x 1000 mm Pallet Height:	1901 mm





www.Schoellerallibert.com

The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies. Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet. Datasheet Stack Nest | 05-05-2022

Feature and Benefits

- Logistic savings Stack- and nestable containers optimize warehouse and vehicle fill, reduce transport cost and gas emission on return trips
- Easy handling Securely stack on bale-arms, nest with arms pushed back
- Textured surface Labels can be removed easily
- Interstackable All models inter-stack, 400x300mm models stack up 2-up (side by side) on 600x400mm trays and visa versa- Handle with care Bale-arms to support the tray when stacked
- Ease of use Comfortable handgrips for easy and safe manual handling
- Drop-in label holder For easy identification of content
- Easy Customisation Print areas on both long sides



www.Schoellerallibert.com
The information on this datasheet has been compiled with the greatest possible care. Nevertheless, the information provided may contain inaccuracies.
Before you rely on the information provided, it must be confirmed in another way. Schoeller Allibert is not liable for any damage that occurs directly or indirectly as a result of relying on incorrect information in this datasheet.
Datasheet Stack Nest | 05-05-2022